

Demolition Kit

Art.No. 0202100

Technical features



Demolition Kit

TACTICAL & TECHNICAL FEATURES

BLASTING MACHINES KSP 400 KSP 700

- ignition voltage DC 380V DC 700V
- filling time of capacitor up to 6 sec.
- capacitor capacity 200mF 50mF
- max. no. of activations 120
- battery voltage DC 10V
- type of battery MOTOROLA NTN 5521
- min. voltage of battery DC 9,2V
- battery capacity 1,1Ah
- temperature range from -20°C to +70°C
- case ABS plastic
- max. net resist. for min. ignition power 1A
- 300W 600W
- max. No EDK for serial net 180 pieces
- max. No EDK for parallel net 3 pieces
- connectors are short-circuited until the moment of activating
- controlled activating of EDK

BATTERY CHARGER FOR BLASTING MACHINES

- charging time 60 min
- AC input 220V
- dimension 60 x 200 x 85 mm
- weight 1200g



VICTORINOX SWISS TOOL

- weight 314g

A Multifunction Pocket Toolkit is made of first class stainless steel. It consists of: pliers, screwdriver 2, 3, 5 & 7,5mm, wire cutter for wire up to a hardness of 40 HRc, cap lifter, normal blade, serrated blade, metal file, metal saw, wood saw, reamer and punch, Philips screwdriver 1+2, chisel/scrapper, strong crate opener, wire bender, wire



stripper, wire scraper, can opener, 230mm ruller, 9 inches ruller, electrical crimper and lanyard hole.

BOX FOR ELECTRIC CAP

- Black kordura box with plastic Lying for 15 cap's
- Dimension 40 x 180 x 90 mm
- Weight 125 g



CAP BOX

- Plastic box for 12 cap's
- Dimension 20 x 80x 60 mm
- Weight 80 g



Demolition Kit

TACTICAL & TECHNICAL FEATURES

DIGITAL GALVANOMETER

- resistance 200 - 20M
- VDC 200mV - 600V
- VAC 200V - 600V
- ADC 200mA - 10A
- black cordura box
- weight 285g
- dimension 70x130x35



DOUBLE FIRING WIRE

- length 500 m
- resistance 30 + 30

CAP CRIMPER

- aluminium/steel
- six-edged shape 5 mm
- weight 510 g
- length 220 mm
- protection tube in case unwanted detonating of crimping cap



CARRYING BAG

- black Cordura
- dimension 390 x 250 x 170 mm WHD
- weight 1500 g

